

Can




AGCO

















ANTI FRICTION MOVEMENT
ROUND THE GLOBE



Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
11949/11910	831054M1/831055M1/ 8 831054M1/831055M1/89	19.050	45.524	15.494	
30205	880007200116/MF33948 MF33948	25.000	52.000	16.250	
30208	880007200119	40.000	80.000	19.750	
32210	880007200321	50.000	90.000	24.750	
3984/3920		66.680	112.712	30.162	
48548/48510	831077M1/831078M1/18	34.930	65.090	18.034	
6004-2RS	391057X1	20.000	42.000	12.000	
6006-2RS	320291X1	30.000	55.000	13.000	
6006-RS	320291X1	30.000	55.000	13.000	
6007-2RS	354920X1	35.000	62.000	14.000	
6008	390985X1	40.000	68.000	15.000	
6008-2RS	339780X1	40.000	68.000	15.000	

6009-2RS	3315033M1	45.000	75.000	16.000	
6009NR	195498M1	45.000	75.000	16.000	
6010 Z	195494M1	50.000	80.000	16.000	
6011	880006250314	55.000	90.000	18.000	
6011 ZZ	834218M1	55.000	90.000	18.000	
6202-2RS	339932X1	15.000	35.000	11.000	
6203-2RS	1483635M1	17.000	40.000	12.000	
6204-2RS	339599X1 88-000625-4.204	20.000	47.000	14.000	
6205-2RS	22258X	25.000	52.000	15.000	
6205-Z	1440491X1	25.000	52.000	15.000	
6206-2RS	339583X1 880006254208	30.000	62.000	16.000	
6207-2RS	88-000625-4.210	35.000	72.000	17.000	
6208	339818M1	40.000	80.000	18.000	

6208-2RS	880006254211	40.000	80.000	18.000	
6208-ZZ	195592M2	40.000	80.000	18.000	
6209-2RS	339601X1 MF339601X1	45.000	85.000	19.000	
6210-2RS	1440572X1	50.000	90.000	20.000	
6211	352983X1 / ZF6353330	55.000	100.000	21.000	
6305-2RS	880006254306	25.000	62.000	17.000	
6306-2RS	390384X1	30.000	72.000	19.000	
6307-2RS	354920X1	35.000	80.000	21.000	
6309	3275088M1	45.000	100.000	25.000	
6309-2RS	391069X1 391968X1 391968X11 880006254312	45.000	100.000	25.000	
6310	880006250313	50.000	110.000	27.000	
6310-2RS	880006254313	50.000	110.000	27.000	
67048/67010	880008950020	31.750	59.131	15.875	

N1174		63.500	105.511	21.971	
-------	--	--------	---------	--------	-------------------------------------------------------------------------------------



V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961
E.MAIL : canbearing@gmail.com , vaibhav.ahuja82@gmail.com

www.canbearings.com