



Can

# AGRALE



ANTI FRICTION MOVEMENT  
ROUND THE GLOBE



Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
30203	4001032052007	17.000	40.000	13.250	
30205	4001032054003	25.000	52.000	16.250	
30208	4001032057006	40.000	80.000	19.750	
30305	4001033054002	25.000	62.000	18.250	
3780/3720	4001035098007	50.800	93.260	30.160	
39590/39520	4001035055007	66.680	112.710	30.160	
3984/3920		66.680	112.712	30.162	
6007	4001018002000	35.000	62.000	14.000	
6205	4001018052005	25.000	52.000	15.000	
6205-ZZ	4001018052021	25.000	52.000	15.000	
6206-ZZ	4001018054001	30.000	62.000	16.000	
6207	4001018056006	35.000	72.000	17.000	

6208-ZZ	4001018057004	40.000	80.000	18.000	
6210	4001018058002	50.000	90.000	20.000	
6211	4001018059000	55.000	100.000	21.000	
6303	4001019018005	17.000	47.000	14.000	
6304	4001019019003	20.000	52.000	15.000	
6306	4001019021009	30.000	72.000	19.000	
803146/803110	4001035074008	41.280	88.900	30.162	
803149/803110	4001035079007	44.450	88.900	30.162	
86649/86610	4001035080005	30.162	64.292	21.433	



# V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)  
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961  
E.MAIL : [canbearing@gmail.com](mailto:canbearing@gmail.com) , [vaibhav.ahuja82@gmail.com](mailto:vaibhav.ahuja82@gmail.com)

[www.canbearings.com](http://www.canbearings.com)