



Can













**SUITABLE FOR
ALFA ROMEO APPLICATION**








Alfa Romeo



ANTI FRICTION MOVEMENT
ROUND THE GLOBE



Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
5806	923107/106	28.300	44.400	9.500	
5807	923105/106	28.300	49.100	19.000	
CA-117-S35		0.000	0.000	0.000	
CA-120-S38	1940 1940 1940 1940	0.000	0.000	0.000	
CAN108		0.000	0.000	0.000	
CAN192		0.000	0.000	0.000	
CAN193		0.000	0.000	0.000	
CAN194		0.000	0.000	0.000	
CAN195		0.000	0.000	0.000	
CAN196		0.000	0.000	0.000	
CAN197		0.000	0.000	0.000	
CAN198		0.000	0.000	0.000	

CAN199		0.000	0.000	0.000	
DAC37720037		37.000	72.000	37.000	
DAC37720437		0.000	0.000	0.000	
DAC42750037		42.000	75.000	37.000	
DAC42800037		42.000	80.000	37.000	
VKBA1447		0.000	0.000	0.000	
VKBA752		0.000	0.000	0.000	



V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961
E.MAIL : canbearing@gmail.com , vaibhav.ahuja82@gmail.com

www.canbearings.com