



Can













**SUITABLE FOR  
ARVIN MERITOR APPLICATION**



ANTI FRICTION MOVEMENT  
ROUND THE GLOBE



Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
104949/104910	1228L1546/1228Y1507	50.800	82.000	21.976	
207049/207010		55.000	95.000	30.000	
212044/212011		60.330	122.240	38.100	
212047/212011		63.500	122.238	38.100	
212049/212011		66.675	122.238	38.100	
218248/218210	99041035B 99041035S	89.975	146.975	40.000	
220149/220110		99.980	156.980	42.000	
25877/25820		34.930	73.030	23.812	
25880/25820		36.490	73.030	23.810	
2689/2631		28.580	66.420	23.810	
2780/2720		36.490	76.200	23.810	
2790/2720		33.338	76.200	23.812	

32016	1524061	80.000	125.000	29.000	
32021	1228B600 1228F1540 21265585 5010534836 A11228B600 A11228F1540.M A1228B600 A1228F1540	105.000	160.000	35.000	
32022	A1-1228-V-1270	110.000	170.000	38.000	
32024	A11228E1539.M	120.000	180.000	38.000	
32210	32210	50.000	90.000	24.750	
32218	99041057 99041058	90.000	160.000	42.500	
32220	99041058	100.000	180.000	49.000	
32310	99041068 99041068B	50.000	110.000	42.250	
33021	A11228U1711	105.000	160.000	43.000	
33116	99041067	80.000	130.000	37.000	
33208	33208	40.000	80.000	32.000	
33211	33211	55.000	100.000	35.000	

33212	33212	60.000	110.000	38.000	
33213	99041045B 99041045S	65.000	120.000	41.000	
33281/33462		71.440	117.480	30.160	
33287/33462		73.030	117.480	30.160	
33287/33472		73.030	120.000	29.790	
3382/3320		39.690	80.170	29.370	
34300/34478		76.200	121.440	24.610	
3578/3525		44.450	87.310	30.160	
3585/3525		41.280	87.312	30.162	
368A/362A		50.800	88.900	20.640	
3778/3720		47.630	93.260	30.160	
3779/3720		47.630	93.260	30.162	
3782/3720	A1228U1347	44.450	93.264	30.162	

387/382		57.150	98.425	21.000	
394/395 A		0.000	0.000	0.000	
395/394		66.680	110.000	22.000	
39581/39520		57.150	112.712	30.162	
3979/3920		57.150	112.710	30.160	
3982/3920		63.500	112.713	30.162	
3984/3920		66.680	112.712	30.162	
42686/42620		0.000	0.000	0.000	
42687/42620		0.000	0.000	0.000	
42688/42620		76.200	127.000	30.162	
45282/45220		0.000	0.000	0.000	
495/493		82.550	136.530	30.160	
498/493		84.140	136.530	30.160	

511945/511910		0.000	0.000	0.000	
516649/516610		0.000	0.000	0.000	
518445/518410		88.900	152.400	39.690	
52375/52637		0.000	0.000	0.000	
52400/52618		0.000	0.000	0.000	
52400/52637		0.000	0.000	0.000	
537/532		50.800	107.950	36.512	
55200C/55437	098076/098074 802608 98076/98074	50.800	111.130	30.162	
557/552		0.000	0.000	0.000	
557/553		0.000	0.000	0.000	
580/572	098223/098123	82.550	139.992	36.512	
59175/59412		41.280	104.780	36.510	
594/592		95.250	152.400	39.688	

596/592		85.730	152.400	39.690	
598/592A		92.075	152.400	39.688	
6209	1228C3 1228R200	45.000	85.000	19.000	
6210	1228J192	50.000	90.000	20.000	
6211	1228N1262	55.000	100.000	21.000	
6212	1228L194	60.000	110.000	22.000	
623/612		57.150	120.650	41.275	
6313	1228P250	65.000	140.000	33.000	
6379/6320		65.090	135.760	53.980	
6389/6320		66.680	135.760	41.280	
643/632		69.850	136.530	41.280	
64450/64700	098538 98538	114.300	177.800	41.280	
6461/6420		76.200	149.230	53.980	



6580/6535		88.900	161.930	53.980	
665/653		85.730	146.050	42.350	
681/672		92.080	168.280	41.280	
687/672		101.600	168.280	41.280	
710949/710910		65.000	105.000	24.000	
714149/714110	1228Q1031/1228R1032 098353/098355	75.000	115.000	25.000	
71450/71750		0.000	0.000	0.000	
716649/716610	098144/098142 802600	85.000	130.000	30.000	
720249/720210		100.000	155.000	36.000	
72212/72487	1228G605/1228F604	53.980	123.830	36.510	
749/742		85.030	150.090	44.450	
756/752		79.380	161.930	47.630	
759/752		88.900	161.930	47.630	

760/752		90.490	161.930	47.630	
782/772		0.000	0.000	0.000	
803149/803110	A11228T2022	44.450	88.900	30.162	
805011 C		82.000	140.000	110.000	
86649/86610	A11228R2020	30.162	64.292	21.433	
BTH0036	A1228X1480	39.000	72.000	37.000	
CANF 17116 K	1228G1723	75.000	83.000	23.000	
CANF 17117 K	1228F1722	80.000	105.000	4.000	



# V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)  
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961  
E.MAIL : [canbearing@gmail.com](mailto:canbearing@gmail.com) , [vaibhav.ahuja82@gmail.com](mailto:vaibhav.ahuja82@gmail.com)

[www.canbearings.com](http://www.canbearings.com)