














Can


# BAJAJ AUTO



ANTI FRICTION MOVEMENT  
ROUND THE GLOBE



Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
30205		25.000	52.000	16.250	
6004	30 1011 92 30 1011 92 30 1011 92 30 1011 92	20.000	42.000	12.000	
6005	15 1010 18	25.000	47.000	12.000	
6201	01 1701 10 01 1701 10 01 1701 10 1170110	12.000	32.000	10.000	
6201-Z	39 1005 20 39 1005 20	12.000	32.000	10.000	
6202	39260220	15.000	35.000	11.000	
6203	01 1701 11 01 1701 11 01 1701 11 01 1701 11 01 1701 11 01 1701 11 01 1701 11 01 1701 11 1170111	17.000	40.000	12.000	
6204	15 1010 11 01 1003 42	20.000	47.000	14.000	
6301	30 1510 59	12.000	37.000	12.000	
6301-Z	30 1510 60 30 1510 60 30 1510 60	12.000	37.000	12.000	
6303	39218520	17.000	47.000	14.000	

6305	39256120	25.000	62.000	17.000	
------	----------	--------	--------	--------	---



# V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)  
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961  
E.MAIL : [canbearing@gmail.com](mailto:canbearing@gmail.com) , [vaibhav.ahuja82@gmail.com](mailto:vaibhav.ahuja82@gmail.com)

[www.canbearings.com](http://www.canbearings.com)