




Can

**SUITABLE FOR
BEDFORD APPLICATION**

BEDFORD



**DIESEL
OR PETROL**

Normal control and forward control trucks




ANTI FRICTION MOVEMENT
ROUND THE GLOBE



Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
11749/11710		17.462	39.878	13.843	
18690/18620		46.040	79.380	17.462	
18790/18720		50.800	85.000	17.462	
2580/2520		31.750	66.420	25.400	
30204		20.000	47.000	15.250	
30206		30.000	62.000	17.250	
30207		35.000	72.000	18.250	
32213		65.000	120.000	32.750	
32307		35.000	80.000	32.750	
32309		45.000	100.000	38.250	
3490/20		38.100	79.380	29.370	
3780/3720		50.800	93.260	30.160	

394/395 A		0.000	0.000	0.000	
39581/39520		57.150	112.712	30.162	
3977/3921		60.000	109.990	29.750	
403635		44.000	90.000	23.000	
414245/414210		0.000	0.000	0.000	
414292B HUB	414292B	58.737	101.600	40.500	
42686/42624		0.000	0.000	0.000	
478A/473S		0.000	0.000	0.000	
482/472 A		69.850	120.000	29.000	
495/493		82.550	136.530	30.160	
528/522		47.630	101.600	34.930	
575/572		76.200	139.990	36.510	
594/592		95.250	152.400	39.688	

6202-Z		15.000	35.000	11.000	
665/653		85.730	146.050	42.350	
67048/67010		31.750	59.131	15.875	
BEDFORD AIR CLEANER FILTER		0.000	0.000	0.000	
DAC34640037		34.000	64.000	37.000	
DAC39720037		39.000	72.000	37.000	
DAC39720637		39.000	72.060	37.000	
T-138 TR		35.180	66.680	19.450	



V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961
E.MAIL : canbearing@gmail.com , vaibhav.ahuja82@gmail.com

www.canbearings.com