




Can

**SUITABLE FOR
CITROËN APPLICATION**





















CITROËN



ANTI FRICTION MOVEMENT
ROUND THE GLOBE



Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
32005		25.000	47.000	15.000	
32006		30.000	55.000	17.000	
32008	7703090034	40.000	68.000	19.000	
32010	ZF04330647	50.000	80.000	20.000	
32206		30.000	62.000	21.250	
CA-140-S66	AM-314-01-C AM-314-01-C AM-314-01-C AM-314-01-C AM-314-01-C AM-314-01-C AM-314-01-C AM-314-01-C AM-314-01-C AM-314-01-C	0.000	0.000	0.000	
CA-151-S127	95492693	0.000	0.000	0.000	
CA-158-S96	5478-534 5478-534 5478-534 5478-534 5478-534 5478-534 5478-534	0.000	0.000	0.000	
CA-176-S130	7910011860 7910011860 7910011860 7910011860	0.000	0.000	0.000	
CAN210		0.000	0.000	0.000	
CAN213		0.000	0.000	0.000	

DAC25520037		25.000	52.000	37.000	
DAC25520043		25.000	52.000	43.000	
DAC35660032	AX-SAXO	35.000	66.000	32.000	
DAC35720033		35.000	72.000	33.000	
DAC35720228		35.000	72.000	28.000	
DAC42820036		42.000	82.000	36.000	
DAC45840039		45.000	84.000	39.000	



V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961
E.MAIL : canbearing@gmail.com , vaibhav.ahuja82@gmail.com

www.canbearings.com