














Can













# EBRO



















ANTI FRICTION MOVEMENT  
ROUND THE GLOBE



Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
27W 1 1/2 BALL		38.100	65.800	15.800	
27W 1 1/2 TR		38.100	65.800	15.800	
5806	882951/954	28.300	44.400	9.500	
5807	923107/106	28.300	49.100	19.000	
5832	ST-4-3587/3571 ST-4-3587/3571 ST-4-3587/3571 ST-4-3587/3571 ST-4-3587/3571 ST-4-3587/3571	40.600	61.000	11.900	
5836	D3587-C71C	43.600	64.200	13.100	
5838		43.600	69.800	23.300	
CA- 128	DDN-7580 DDN-7580	60.000	112.800	32.200	
CA-106	1625008	44.400	79.400	18.700	
CA-108	78-7580 78-7580 78-7580 78-7580 78-7580	52.300	90.400	20.200	
CA-108 S47		0.000	0.000	0.000	

CA-108-S106		0.000	0.000	0.000	
CA-108-S25	78-7580/48-7561 78-7580/48-7561 78-7580/48-7561 78-7580/48-7561 78-7580/48-7561	0.000	0.000	0.000	
CA-108-S56	78.7580.EIADKN 78.7580.EIADKN 78.7580.EIADKN 78.7580.EIADKN 78.7580.EIADKN	0.000	0.000	0.000	
CA-120-S38		0.000	0.000	0.000	
CA-128 S49		0.000	0.000	0.000	
CA-147	SS-09-0091 A	55.000	90.500	25.000	
CA-147-S133	16300239-0 16300239-0 16300239-0 16300239-0 16300239-0	0.000	0.000	0.000	
CA-153	892862 MI 892862 MI 892862 MI 892862 MI 892862 MI	63.500	103.300	22.000	
CA-153-S117		0.000	0.000	0.000	
CA-153-S134	16300132-1 16300132-1 16300132-1 16300132-1	0.000	0.000	0.000	
CA-153-S89		0.000	0.000	0.000	
CA-1633-S126		0.000	0.000	0.000	

CA-165-S107		0.000	0.000	0.000	
CA-168-S114		0.000	0.000	0.000	
CA-174	SS-09-0100 A SS-09-0100 A SS-09-0100 A SS-09-0100 A	63.500	102.000	22.000	
CA-174-S 135	241052-0 241052-0 241052-0 241052-0 241052-0	0.000	0.000	0.000	
CA-174-S136	60089558-X92 60089558-X92 60089558-X92 60089558-X92 60089558-X92 60089558-X92 60089558-X92 60089558-X92	0.000	0.000	0.000	
CA-180-S143	162111-0 162111-0 162111-0 162111-0 162111-0 162111-0 162111-0 162111-0	0.000	0.000	0.000	
CA-S50	ST-3570 ST-3570 ST-3570	26.800	46.200	7.000	
IR- 5000	SIADN-3556 SIADN-3556	37.200	71.000	11.100	
IR-5015		37.000	55.500	8.800	
IR-5028	ETG-3571 ETG-3571 ETG-3571 ETG-3571 ETG-3571 ETG-3571 ETG-3571	45.000	61.900	8.000	
IR-5032	11905026 11905026 VA-195161	28.900	46.000	15.900	

IR-5036	SM-3556 B SM-3556 B SM-3556 B SM-3556 B SM-3556 B SM-3556 B	30.200	52.000	13.700	
IR-5042	D-3588 D-3588 D-3588 D-3588 D-3588 D-3588	25.800	38.000	6.300	
IR-5049		34.000	51.000	8.000	
IR-5058	11905025 11905025 VA-195162	23.400	46.000	11.100	
IR-5064	EJADK-3556	30.000	49.100	11.100	



# V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)  
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961  
E.MAIL : [canbearing@gmail.com](mailto:canbearing@gmail.com) , [vaibhav.ahuja82@gmail.com](mailto:vaibhav.ahuja82@gmail.com)

[www.canbearings.com](http://www.canbearings.com)