













Can

**SUITABLE FOR
GENERAL MOTORS APPLICATION**



ANTI FRICTION MOVEMENT
ROUND THE GLOBE



Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
304 KRR2	2947477 908604	20.000	52.000	28.070	
CA-103	1319083	38.100	71.200	17.000	
CA-106		44.400	79.400	18.700	
CA-108	9418041 9418041 9418041 9418041	52.300	90.400	20.200	
CAN111		0.000	0.000	0.000	
CAN117		0.000	0.000	0.000	
CAN131		0.000	0.000	0.000	
CAN137		0.000	0.000	0.000	
CAN145		0.000	0.000	0.000	
CAN153		0.000	0.000	0.000	
CAN154		0.000	0.000	0.000	
CAN165		0.000	0.000	0.000	

CAN170		0.000	0.000	0.000	
CAN208		0.000	0.000	0.000	
CAN209		0.000	0.000	0.000	
CAN212		0.000	0.000	0.000	
CAN240		0.000	0.000	0.000	
CAN344		0.000	0.000	0.000	
CB-1081		50.800	93.700	20.400	
DAC34640037		34.000	64.000	37.000	
DAC34660037		34.000	66.000	37.000	
DAC34670037		34.000	67.000	37.000	
DAC37740045		37.000	74.000	45.000	
DAC39720037		39.000	72.000	37.000	
DAC39720637		39.000	72.060	37.000	

DAC39740039		39.000	74.000	39.000	
DAC40800036/34		40.000	80.000	34.000	
DAC42820036		42.000	82.000	36.000	
DB68126	88927028 15595140 1559TS	41.000	64.000	21.000	
F1 10085	5666683 5666683/93 5666683/93 5666683/93 5666683/93 5666683/93 5666683/93 5666683/93 5666683/93 5666683/93 5666683/93 5666683/93	20.100	38.100	7.800	
N 9042 A	5673272	38.460	55.600	9.000	
VKC 2238		38.000	46.000	16.750	
VKC2215		0.000	0.000	0.000	



V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961
E.MAIL : canbearing@gmail.com , vaibhav.ahuja82@gmail.com

www.canbearings.com