













Can

**SUITABLE FOR  
NISSAN APPLICATION**
















ANTI FRICTION MOVEMENT  
ROUND THE GLOBE
















Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
16444 99428		0.000	0.000	0.000	
30205		25.000	52.000	16.250	
30207		35.000	72.000	18.250	
30208		40.000	80.000	19.750	
30209		45.000	85.000	20.750	
30210		50.000	90.000	21.750	
30218		90.000	160.000	32.500	
30220		100.000	180.000	37.000	
30305	09265 25039 000 402159X60A	25.000	62.000	18.250	
30310		50.000	110.000	29.250	
31306	09265 30017 000	30.000	72.000	20.750	
32010		50.000	80.000	20.000	

32012		60.000	95.000	23.000	
32207		35.000	72.000	24.250	
32208		40.000	80.000	24.750	
32209		45.000	85.000	24.750	
32219		95.000	170.000	45.500	
32304		20.000	52.000	22.250	
32307		35.000	80.000	32.750	
32309		45.000	100.000	38.250	
33015		75.000	115.000	31.000	
33018		90.000	140.000	39.000	
33215		75.000	130.000	41.000	
42KWD10 TVP		0.000	0.000	0.000	
455/453		50.800	104.780	30.160	




48TKA3301		0.000	0.000	0.000	
57414/57411	09265 M 41001 X	40.990	67.980	17.500	
6308		40.000	90.000	23.000	
6308 N		0.000	0.000	0.000	
6461/6420		76.200	149.230	53.980	
67048/67010		31.750	59.131	15.875	
805092C	43210 LC55A	78.000	130.000	90.000	
CA-1633-S126		0.000	0.000	0.000	
CAN109		0.000	0.000	0.000	
CAN121		0.000	0.000	0.000	
CAN134		0.000	0.000	0.000	
CAN138		0.000	0.000	0.000	
CAN152		0.000	0.000	0.000	

CAN175		0.000	0.000	0.000	
CAN178		0.000	0.000	0.000	
CAN183		0.000	0.000	0.000	
CAN185		0.000	0.000	0.000	
CAN186		0.000	0.000	0.000	
CAN232		0.000	0.000	0.000	
CAN284		0.000	0.000	0.000	
CAN285		0.000	0.000	0.000	
CAN286		0.000	0.000	0.000	
CAN287		0.000	0.000	0.000	
CAN288		0.000	0.000	0.000	
CAN289		0.000	0.000	0.000	
CAN290		0.000	0.000	0.000	

CAN293		0.000	0.000	0.000	
CAN295		0.000	0.000	0.000	
CAN296		0.000	0.000	0.000	
CAN297		0.000	0.000	0.000	
CAN298		0.000	0.000	0.000	
CAN299		0.000	0.000	0.000	
CAN300		0.000	0.000	0.000	
CAN301		0.000	0.000	0.000	
CAN335		0.000	0.000	0.000	
CAN339		0.000	0.000	0.000	
CAN340		0.000	0.000	0.000	
CAN350		0.000	0.000	0.000	
CAN351		0.000	0.000	0.000	

CAN352		0.000	0.000	0.000	
CAN414		0.000	0.000	0.000	
CAN415		0.000	0.000	0.000	
CAN416		0.000	0.000	0.000	
DAC01WD7		27.000	60.000	50.000	
DAC35680233/30		35.000	0.000	30.000	
DAC38740036/33		38.000	74.000	36.000	
DAC38740050		38.000	74.000	50.000	
DAC38740450		38.000	74.040	50.000	
DAC40740036		40.000	74.000	36.000	
DAC42760038/35		42.000	76.000	38.000	
IR-5049		34.000	51.000	8.000	
TRO 809		0.000	0.000	0.000	



VKBA3202		0.000	0.000	0.000	
VKBA751		0.000	0.000	0.000	
VKBA752		0.000	0.000	0.000	



# V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)  
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961  
E.MAIL : [canbearing@gmail.com](mailto:canbearing@gmail.com) , [vaibhav.ahuja82@gmail.com](mailto:vaibhav.ahuja82@gmail.com)

[www.canbearings.com](http://www.canbearings.com)