



Can

# OIL SEALS AND METAL SHIELDS



Bearing No.	d(mm)	D(mm)	T(mm)	Weight(Kg)	Illustration
022517-3699800	0.000	0.000	0.000	0.000	Can
1860867	0.000	0.000	0.000	0.000	Can
1860954	0.000	0.000	0.000	0.000	Can
3009856	0.000	0.000	0.000	0.000	Can
3015184	0.000	0.000	0.000	0.000	Can
3015377	0.000	0.000	0.000	0.000	Can
301586	0.000	0.000	0.000	0.000	Can
3019954	0.000	0.000	0.000	0.000	Can
3426192	0.000	0.000	0.000	0.000	Can

3426892	0.000	0.000	0.000	0.000	
3428064	0.000	0.000	0.000	0.000	
3428942	0.000	0.000	0.000	0.000	
3541441	0.000	0.000	0.000	0.000	
3541495	0.000	0.000	0.000	0.000	
373-0143	0.000	0.000	0.000	0.000	<p>For Bore Diameter: 6.00"  With: 0.010"  For Stroke: 0.0 - 4.63"</p>  <p>Siemens 373-0143  Triseal 65060U</p>
392107	0.000	0.000	0.000	0.000	
40948	0.000	0.000	0.000	0.000	
41057	0.000	0.000	0.000	0.000	
53850	0.000	0.000	0.000	0.000	
53965	0.000	0.000	0.000	0.000	
882261	0.000	0.000	0.000	0.000	
883935	0.000	0.000	0.000	0.000	
KAN-898	117.000	152.680	24.000	0.000	



# V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)  
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961  
E.MAIL : [canbearing@gmail.com](mailto:canbearing@gmail.com) , [vaibhav.ahuja82@gmail.com](mailto:vaibhav.ahuja82@gmail.com)

[www.canbearings.com](http://www.canbearings.com)