



Can

**SUITABLE FOR
PEUGEOT APPLICATION**



PEUGEOT
MOTION & EMOTION





ANTI FRICTION MOVEMENT
ROUND THE GLOBE



Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
320/32		32.000	58.000	17.000	
32005		25.000	47.000	15.000	
32006		30.000	55.000	17.000	
32010	3326	50.000	80.000	20.000	
32206		30.000	62.000	21.250	
CA-170-S120	2041-14 2041-14 2041-14 2041-14 2041-14 2041-14	0.000	0.000	0.000	
CA-170-S132	2014-27 2014-27 2014-27 2014-27 2014-27 2014-27	0.000	0.000	0.000	
CA-176-S130		0.000	0.000	0.000	
CAN114		0.000	0.000	0.000	
CAN115		0.000	0.000	0.000	
CAN116		0.000	0.000	0.000	

CAN146		0.000	0.000	0.000	
CAN155		0.000	0.000	0.000	
CAN159		0.000	0.000	0.000	
CAN164		0.000	0.000	0.000	
CAN307		0.000	0.000	0.000	
CAN308		0.000	0.000	0.000	
DAC25520037		25.000	52.000	37.000	
DAC25520043		25.000	52.000	43.000	
DAC35720033		35.000	72.000	33.000	
DAC35720228		35.000	72.000	28.000	
DAC42820036		42.000	82.000	36.000	
DAC42840036		42.000	84.000	36.000	
DAC42840039		42.000	84.000	39.000	

DAC45840039		45.000	84.000	39.000	
VKBA540		0.000	0.000	0.000	



V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961
E.MAIL : canbearing@gmail.com , vaibhav.ahuja82@gmail.com

www.canbearings.com