







Can

ROYAL ENFIELD



| Can Bearing No. | O.E.M | Bore Dia(mm) | Outer Dia(mm) | Total Bearing Height(mm) | Illustration |
|-----------------|---------|--------------|---------------|--------------------------|---|
| 6005 | 14 1112 | 25.000 | 47.000 | 12.000 |  |

| | | | | | |
|------|--|--------|--------|--------|--|
| 6202 | PEZ 5020-28-4 | 15.000 | 35.000 | 11.000 |  |
| 6203 | PEZ 0991-28-4 PEZ 0991-28-4 110965 110965 | 17.000 | 40.000 | 12.000 |  |
| 6303 | 111166 | 17.000 | 47.000 | 14.000 |  |
| 6305 | 110050 | 25.000 | 62.000 | 17.000 |  |
| N205 | 150077 | 25.000 | 52.000 | 15.000 |  |
| N305 | 110051 | 25.000 | 62.000 | 17.000 |  |



V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961
E.MAIL : canbearing@gmail.com , vaibhav.ahuja82@gmail.com

www.canbearings.com