

Can

**SUITABLE FOR
SAF APPLICATION**





ANTI FRICTION MOVEMENT
ROUND THE GLOBE



Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
215249/215210		75.987	131.975	39.000	
218248/218210	04 200 1006 00 4 200 1006 00	89.975	146.975	40.000	
30206	4 200 0003 00	30.000	62.000	17.250	
30307	04 200 0011 00 4 200 0011 00	35.000	80.000	22.750	
30309	04 200 0012 00 4 200 0012 00	45.000	100.000	27.250	
30310	04 200 0013 00 4 200 0013 00	50.000	110.000	29.250	
30311	04 200 0014 00	55.000	120.000	31.500	
30312	04 200 0015 00 4 200 0015 00 4200001500	60.000	130.000	33.500	
30313	04 200 0016 00 4 200 0016 00	65.000	140.000	36.000	
32206		30.000	62.000	21.250	
32209	4 200 0022 00	45.000	85.000	24.750	
32213	04 200 0023 00	65.000	120.000	32.750	
32217	4 200 0025 00	85.000	150.000	38.500	
32218	04 200 0027 00 4 200 0027 00	90.000	160.000	42.500	
32219	04 200 0026 00 4 200 0026 00	95.000	170.000	45.500	
32221	04 200 0028 00 4 200 0028 00	105.000	190.000	53.000	
32309	4 200 0031 00	45.000	100.000	38.250	
32311	4 200 0032 00	55.000	120.000	45.500	
32312	04 200 0033 00 4 200 0033 00	60.000	130.000	48.500	

32314	4 200 0034 00 04 200 0034 00	70.000	150.000	54.000	
32924	04 200 1010 00	120.000	165.000	29.000	
33113	4200005500	65.000	110.000	34.000	
33118	04 200 1009 00 4 200 1009 00	90.000	150.000	45.000	
33207	04 200 0057 00 4 200 0057 00	35.000	72.000	28.000	
33209	4200006300 04 200 0063 00 4 200 0063 00	45.000	85.000	32.000	
33211	04 200 0058 00 4 200 0058 00	55.000	100.000	35.000	
33212	04 200 0064 00 4 200 0064 00	60.000	110.000	38.000	
33213	04 200 0060 00 4 200 0060 00	65.000	120.000	41.000	
33215	04 200 0070 00 4 200 0070 00	75.000	130.000	41.000	
524850	04 200 0051 00	80.000	130.000	35.000	
524851	04 200 0050 00 4 200 0050 00	90.000	145.000	35.000	
566074.H195		69.800	125.000	114.000	
569868.H195	03 434 3018 00 04 200 1019 00	82.000	138.000	110.000	
570530.H195	03 200 1020 00 03 434 3019 00 03 434 3020 00	88.000	138.000	120.000	
718149/718110		90.000	145.000	35.000	
800525	343301100	100.000	148.000	141.000	
803904	03 434 3010 00 03 434 3012 00 04 200 1016 02	120.000	175.030	123.000	
805415 HUB	3307303000 3307303001 3434301800 4200101900	82.000	138.000	110.000	
805415/805405	03 434 3018 00 04 200 1019 00	82.000	138.000	110.000	

808918	3434301900 3434302000 03 200 1020 00 03 434 3019 00 03 434 3020 00	88.000	138.000	120.000	
BTF0056EB	3434365000 3200200151 4200200100 4200200101 100167601 1003457 100167600 1002689	82.000	196.000	110.000	



V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961
E.MAIL : canbearing@gmail.com , vaibhav.ahuja82@gmail.com

www.canbearings.com