















Can

# SPHERICAL PLAIN BEARING



Bearing No.	d(mm)	D(mm)	T(mm)	Weight(Kg)	Illustration
045159	25.000	47.000	14.000	0.000	
254715	25.000	47.000	15.000	0.000	
25X47X15	25.000	47.000	15.000	0.000	
285216	28.000	52.000	16.000	0.000	
28X52X16	28.000	52.000	16.000	0.000	
2??20	20.000	47.000	26.000	0.000	
30.2534.3521.50	30.250	34.350	21.500	0.000	
30.25X34.35X21.50	30.250	34.350	21.500	0.000	

354715	35.000	47.000	15.000	0.000	
365433	42.000	62.000	25.000	0.000	
57/90.50/46.50	57.000	90.500	46.500	0.000	
BLAB 366485 (BLACK)	95.000	145.000	37.000	2.350	
BLAB 366485 C	95.000	145.000	37.000	0.000	
FE16 1056	70.000	110.000	67.250	2.733	
GE 20 2RS WITH BUSH	20.000	35.000	16.000	0.000	
GE 25	25.000	42.000	20.000	0.000	
GE 25 ES-2RS	25.000	42.000	20.000	0.000	
GE 35 ES-2RS	35.000	55.000	25.000	0.230	
GE 40 ES-2RS	40.000	62.000	28.000	0.000	
GE 45 ES-2RS	45.000	68.000	32.000	0.000	
GE 60 ES-2RS	60.000	90.000	44.000	0.000	
GE 70 ES-2RS	70.000	105.000	49.000	0.000	

GE-35	30.000	55.000	32.410	0.000	
GE-55	57.250	90.500	47.000	1.263	
GE20 ES	20.000	35.000	16.000	0.000	
GE30	30.000	55.000	32.000	0.000	
GE30-DO-2RS	30.000	47.000	22.000	0.000	
GE40	40.000	62.000	28.000	0.000	
GE45ES	45.000	68.000	32.000	0.413	
GE50	50.000	75.000	35.000	0.000	
GE50-DO-2RS	50.000	75.000	35.000	0.000	
GE60ES	60.000	90.000	44.000	0.000	
GE70ES	70.000	105.000	49.000	0.000	
KAN-140	36.000	41.250	11.180	0.000	
TGH001	28.000	52.000	16.000	0.000	



# V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)  
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961  
E.MAIL : [canbearing@gmail.com](mailto:canbearing@gmail.com) , [vaibhav.ahuja82@gmail.com](mailto:vaibhav.ahuja82@gmail.com)

[www.canbearings.com](http://www.canbearings.com)