










Can

SQUARE BORE BALL BEARING



Bearing No.	d(mm)	D(mm)	T(mm)	Weight(Kg)	Illustration
204 KRR2	17.650	47.000	20.960	0.130	
205 KRR2	22.225	52.000	25.400	0.200	
304 KRR2	20.000	52.000	28.070	0.141	
306 KRR2	32.960	71.940	37.620	0.484	
307 KRR2	33.810	85.500	36.510	0.834	
6211 SQ. ID	0.000	100.000	21.000	0.000	
DC211TT5	1.000	4.000	0.000	0.000	
DC211TTR3	1.000	100.000	0.000	0.000	
DNF 240/9	30.000	80.000	36.510	0.630	

DNF240/9AG	30.050	79.950	36.550	0.557	
DS209TT5	1.000	85.000	0.000	0.000	
GW211PP17	1.000	100.000	0.000	2.620	
HPC104TPA	1.000	3.150	1.440	0.000	
HPS108GPB	1.000	3.543	1.181	0.000	
HPS108GPH	1.000	3.340	0.000	0.000	
W208PPB12	1.000	87.000	0.000	0.000	



V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961
E.MAIL : canbearing@gmail.com , vaibhav.ahuja82@gmail.com

www.canbearings.com