













Can

YAMAHA MOTORS LTD



ANTI FRICTION MOVEMENT  
ROUND THE GLOBE



Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
6004	00.134.02 00.134.02 00.134.02	20.000	42.000	12.000	
6005	00.131.03 00.131.03	25.000	47.000	12.000	
6202	330.62.02.XD 0000.131.0100A 00.131.01 00.131.01 00.131.01 00.131.01 00.131.01 00.131.01	15.000	35.000	11.000	
6202-Z	00.134.01 00.134.01 00.134.01 00.134.01 00.134.01	15.000	35.000	11.000	
6203	330.62.03.X2	17.000	40.000	12.000	
6204	1L1.58.00.0300A 000.131.02 00.131.02 00.131.02 330.62.04.Y6 330.62.04.Y6	20.000	47.000	14.000	
6205	1L1.54.000.400A 330.62.05.X3	25.000	52.000	15.000	
6301-Z	1L1.04.01.02 1L1.04.01.02	12.000	37.000	12.000	
6304	1L1.54.000.500A 1L1.50.00.03	20.000	52.000	15.000	
6305	1A1.58.00.15.(32)	25.000	62.000	17.000	



# **V. Kan. Export**

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)  
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961  
E.MAIL : [canbearing@gmail.com](mailto:canbearing@gmail.com) , [vaibhav.ahuja82@gmail.com](mailto:vaibhav.ahuja82@gmail.com)

**[www.canbearings.com](http://www.canbearings.com)**