




Can

**SUITABLE FOR
AUDI APPLICATION**




ANTI FRICTION MOVEMENT
ROUND THE GLOBE



Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
282175/953787		25.000	62.000	16.000	
3189000931		0.000	0.000	0.000	
32010	091517185B	50.000	80.000	20.000	
45449/45410	1GM 405 625 311 405 625 311 405 625 B 311 405 625 F 311 405 625 N	29.000	50.292	14.224	
5806	882951/954	28.300	44.400	9.500	
5807	882963/954	28.300	49.100	19.000	
6002-2RS	021/035903221	15.000	32.000	9.000	
6203-2RS	000311123 A/B	17.000	40.000	12.000	
6204-2RS	8E08980403ZQ	20.000	47.000	14.000	
6205-2RS	086311435 A	25.000	52.000	15.000	
6304-2RS	01J311445 B	20.000	52.000	15.000	
6313-2RS	4M0407625E	65.000	140.000	33.000	
88048/88010	087409551A	33.340	68.262	22.230	
AS 12992 S 01		22.310	68.520	9.000	
CA-118-S36	3264-3216 3264-3216 3264-3216	0.000	0.000	0.000	

CAN101		0.000	0.000	0.000	
CAN105		0.000	0.000	0.000	
CAN139		0.000	0.000	0.000	
CAN151		0.000	0.000	0.000	
DAC34620037		34.000	62.000	37.000	
DAC35660037		35.000	66.000	37.000	
DAC39/41750037		39.000	75.000	37.000	
DAC39680037		39.000	68.000	37.000	
DAC39680637		39.000	68.060	37.000	
DAC39680737		39.000	68.070	37.000	
DAC40740040		40.000	74.000	40.000	
DAC42750037		42.000	75.000	37.000	
DAC42820037		42.000	82.000	37.000	
DAC43/45820037		43.000	82.000	37.000	
DAC43/45850037		43.000	85.000	37.000	
VKBA1356	443498625	43.000	82.000	37.000	

VKBA529		0.000	0.000	0.000	
VKBA542		0.000	0.000	0.000	
VKBA575		0.000	0.000	0.000	
VKBA613		0.000	0.000	0.000	
VKC 2241	02A141165G	31.400	62.500	22.200	
VKC 2601		0.000	130.800	128.200	



V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961
E.MAIL : canbearing@gmail.com , vaibhav.ahuja82@gmail.com

www.canbearings.com