



Can

SUITABLE FOR LANCIA APPLICATION



ANTI FRICTION MOVEMENT
ROUND THE GLOBE



Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
5806	2184315/2214360	28.300	44.400	9.500	
5807	2184315/4317	28.300	49.100	19.000	
DAC30600037		30.000	60.000	37.000	
DAC30600337		30.000	0.000	37.000	
DAC35680037	46439333 46439334 46532573 46776762 7634573	35.000	68.000	37.000	
DAC35720433		0.000	0.000	0.000	
DAC37720037		37.000	72.000	37.000	
DAC37720437		0.000	0.000	0.000	
IR-5053	4199582	14.400	31.700	9.500	
XGB. 40706. R00	46529970 82390273	36.000	72.000	37.000	



V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961
E.MAIL : canbearing@gmail.com , vaibhav.ahuja82@gmail.com

www.canbearings.com